
1. IDENTIFICATION

Product Name	Aer-O-Water [®] C6 1% Aqueous Film Forming Foam Concentrate (AFFF)
Recommended use of the chemical and restrictions on use	
Identified uses	Firefighting Foam Concentrate
Restrictions on Use	See product data sheet
Company Identification	National Foam 350 East Union Street West Chester, PA 19382
Customer Information Number	(610) 363-1400
Emergency Telephone Number	Infotrac at (800) 535-5053
Issue Date	July 27, 2018
Supersedes Date	November 2, 2016
<i>Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200, the Canadian Hazardous Products Regulations (HPR) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)</i>	


2. HAZARD IDENTIFICATION

Hazard Classification

Eye Damage/Irritation - Category 2A
Specific Target Organ Toxicity (Repeated Exposure) - 2

Label Elements

Hazard Symbols



Signal Word: Warning

Hazard Statements

Causes serious eye irritation.
May cause damage to organs (kidney) through prolonged or repeated exposure (oral).

Precautionary Statements**Prevention**

Wash hands thoroughly after handling.
Wear eye protection and face protection.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Get medical advice/attention if you feel unwell.

Storage

None

Disposal

Dispose of contents/container in accordance with local regulation.

2. HAZARD IDENTIFICATION

Other Hazards

This product contains fluoroalkyl surfactants and should be disposed of by high temperature incineration. See Section 13 for additional information.

Specific Concentration Limits

The values listed below represent the percentages of ingredients of unknown toxicity.

Acute oral toxicity	<10%
Acute dermal toxicity	5 - 15%
Acute inhalation toxicity	50 - 60%
Acute aquatic toxicity	25 - 35%

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

Component	CAS Number	Concentration*
Diethylene Glycol Monobutyl Ether	112-34-5	10 - 30%
Ethylene Glycol	107-21-1	10 - 30%
Ethanol	64-17-5	1 - 5%
Sodium octyl sulfate	142-31-4	0.5 - 1.5%
Sodium decyl sulfate	142-87-0	0.1 - 1.0%

*Exact concentration withheld as trade secret.

4. FIRST-AID MEASURES

Description of necessary first-aid measures**Eyes**

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin

Wash skin thoroughly with soap and water. Obtain medical attention if irritation persists.

Ingestion

Dilute by drinking large quantities of water and obtain medical attention.

Inhalation

Move victim to fresh air. Obtain medical attention immediately for any breathing difficulty.

Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed**Notes to Physicians**

Treat symptomatically.

5. FIRE - FIGHTING MEASURES

Suitable Extinguishing Media

This preparation is used as an extinguishing agent and therefore is not a problem when trying to control a fire. Use extinguishing agent appropriate to other materials involved.

Specific hazards arising from the chemical

None known

Special Protective Actions for Fire-Fighters

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing. Prevent skin and eye contact.

Environmental Precautions

Prevent foam concentrate or foam solution from entering ground water, surface water, or storm drains. Discharge and disposal of concentrate or foam solution should be made in accordance with federal, state, and local regulations.

Methods and materials for containment and cleaning up

Contain and absorb using appropriate inert material and transfer into suitable containers for recovery or disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Wear appropriate protective clothing. Prevent skin and eye contact.

Conditions for safe storage

Store in original containers between 0°F and 120°F (-18°C and 49°C). Storage area should be: - cool - dry - well ventilated - under cover - out of direct sunlight

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Diethylene Glycol Monobutyl Ether, Inhalable Fraction and Vapor

ACGIH: TLV 10 ppm, 8hr

Ethylene Glycol, Aerosol

ACGIH: Ceiling 100 mg/m³

Ethanol

ACGIH: 1000 ppm 15-min STEL

OSHA: PEL 1000 ppm (1900 mg/m³) 8h TWA

Sodium Decyl sulfate

None established

Sodium Octyl Sulfate

None established

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate engineering controls

Use with adequate ventilation. If this product is used in a pressurized system, there should be local procedures for the selection, training, inspection and maintenance of this equipment. When used in large volumes, use local exhaust ventilation.

Individual protection measures**Respiratory Protection**

Wear respiratory protection if there is a risk of exposure to high vapor concentrations, aerosols or if applied to hot surfaces. A NIOSH approved full face respirator may be worn. The specific respirator selected must be based on the airborne concentration found in the workplace and must not exceed the working limits of the respirator.

Skin Protection

Butyl rubber gloves

Eye/Face Protection

Chemical goggles or safety glasses with side shields.

Body Protection

Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State	Liquid
Color	Amber
Odor	Mild, pleasant
Odor Threshold	No data available
pH	8.0
Specific Gravity	7.1
Boiling Range/Point (°C/F)	No data available
Melting Point (°C/F)	No data available
Flash Point (°C/F)	>200°F
Vapor Pressure	No data available
Evaporation Rate (BuAc=1)	No data available
Solubility in Water	Soluble
Vapor Density (Air = 1)	Not applicable
VOC (%)	No data available
Partition coefficient (n-octanol/water)	No data available
Viscosity	No data available
Auto-ignition Temperature	Not applicable
Decomposition Temperature	No data available
Upper explosive limit	Not applicable
Lower explosive limit	Not applicable
Flammability (solid, gas)	Not applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical Stability

Stable under normal conditions.

10. STABILITY AND REACTIVITY

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to Avoid

Contact with incompatible materials

Incompatible Materials

Water reactive materials – alkali metals – electronically energized equipment

Hazardous Decomposition Products

Oxides of carbon – sulfur oxides – hydrogen fluoride – nitrogen oxides – sodium oxides

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Diethylene Glycol Monobutyl Ether

Oral LD50 (rat) 3305 mg/kg

Dermal LD5 (rabbit) 2764 mg/kg

Ethylene Glycol

Minimum lethal dose in humans: 1600 mg/kg body weight (estimate)

LD50 Dermal (rabbit) >3500 mg/kg

Ethanol

Oral LD50 (rat) 7060 mg/kg

Inhalation LC50 (rat) 117 mg/l

Specific Target Organ Toxicity (STOT) – single exposure

Available data indicates this product is not expected to cause target organ effects after a single exposure.

Specific Target Organ Toxicity (STOT) – repeat exposure

Ethylene Glycol: May cause damage to organs (kidney) through prolonged or repeated exposure (oral).

Serious Eye damage/Irritation

Diethylene Glycol Monobutyl Ether: Causes serious eye irritation.

Sodium decyl sulfate: Causes serious eye damage.

Sodium octyl sulfate: Causes serious eye damage.

Skin Corrosion/Irritation

Available data indicates this product is not expected to cause skin irritation.

Respiratory or Skin Sensitization

Available data indicates this product is not expected to cause skin sensitization.

Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA.

Germ Cell Mutagenicity

Available data indicates this product is not expected to be mutagenic.

Reproductive Toxicity

Available data indicates this product is not expected to cause reproductive toxicity or birth defects.

11. TOXICOLOGICAL INFORMATION

Aspiration Hazard

Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No relevant studies identified.

Mobility in soil

No relevant studies identified.

Persistence/Degradability

This product is readily biodegradable.

BOD: 0.706g O₂/g substance (28 days)

COD: 0.913g O₂/g substance (28 days)

Biodegradation: 77% (28 days)

Bioaccumulative Potential

This product is not expected to bioaccumulate.

Other adverse effects

No relevant studies identified.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

This product, as sold, is not a RCRA-listed waste or hazardous waste as characterized by 40 CFR 261. However, state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Therefore, applicable local and state regulatory agencies should be contacted regarding disposal of waste foam concentrate or foam/foam solution.

Concentrate

Prevent foam concentrate from entering ground water, surface water or storm drains. Small quantities of foam concentrate may be collected on absorbents which can then be disposed of. Disposal should be made in accordance with local, state and federal regulations. High temperature incineration is recommended.

Foam/Foam Solution

Prevent foam/foam solution from entering ground water, surface water or storm drains. Small quantities of foam solution may be collected on absorbents which can then be disposed of. Disposal should be made in accordance with local, state and federal regulations, high temperature incineration is recommended.

NOTE: Please consult National Foam for additional information regarding the disposal of foam concentrates and foam solutions.

14. TRANSPORT INFORMATION

Shipping Information**Shipping Description****National Motor Freight Code**

Fire Extinguisher Charges or Compounds N.O.I., Class 70
69160 Sub 0

14. TRANSPORT INFORMATION

This information is not intended to convey all transportation classifications that may apply to this product. Classifications may vary by container volume and by regional regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules when transporting this material.

15. REGULATORY INFORMATION

United States TSCA Inventory

All components of this product are in compliance with the inventory listing requirements of the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

Canada DSL Inventory

All ingredients in this product have been verified for listing on the Domestic Substance List (DSL) or the Non-Domestic Substance List (NDSL).

SARA Title III Sect. 311/312 Categorization

Eye irritation – Specific target organ toxicity(repeated exposure)

SARA Title III Sect. 313

This product contains the following chemicals that are listed in Section 313 at or above de minimis concentrations: Ethylene Glycol - Diethylene Glycol Monobutyl Ether

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

Ethylene Glycol (107-21-1) 16% by weight maximum

Diethylene Glycol Monobutyl Ether (112-34-5) 29% by weight maximum

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Health - 1

NFPA Code for Flammability - 0

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - None

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

BOD₅: Biochemical Oxygen Demand (5 day)

CAS#: Chemical Abstracts Service Number

COD: Chemical Oxygen Demand

EC50: Effect Concentration 50%

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

N/A: Denotes no applicable information found or available

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RQ: Reportable Quantity

STEL: Short Term Exposure Limit

N/A: Denotes no applicable information found or available

OSHA: Occupational Safety and Health Administration

16. OTHER INFORMATION

Legend, cont.

PEL: Permissible Exposure Limit

RQ: Reportable Quantity

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

Revision Date: July 27, 2018

Replaces: November 2, 2016

Changes made: Changes to Sections 1, 2, 3, 8, 11 and 15.

Information Source and References

This SDS is prepared by Hazard Communication Specialists based on information provided by internal company references.

Prepared By: EnviroNet LLC.

Aer-O-Water is a registered trademark of Angus International.

The information and recommendations presented in this SDS are based on sources believed to be accurate. National Foam assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the material for their particular purposes. In particular, we make **NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED**, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use or disposal of the material is in accordance with applicable Federal, State, and local laws and regulations.
