

1. IDENTIFICATION

Product Name

Recommended use of the chemical and

restrictions on use

Identified uses
Restrictions on Use

Company Identification

Customer Information Number Emergency Telephone Number

Issue Date

Supersedes Date

Avio^{F3} Green KHC 3% Fluorine Free Foam Concentrate

Firefighting Foam Concentrate

See product data sheet

National Foam

350 East Union Street West Chester, PA 19382

(610) 363-1400

Infotrac at (800) 535-5053

July 14, 2023 February 21, 2020

Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200, the Canadian Hazardous Products Regulations (HPR) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

2. HAZARD IDENTIFICATION

Hazard Classification

Eye Damage/Irritation - Category 1 Skin Corrosion/Irritation - Category 2

Label Elements

Hazard Symbols



Signal Word: Danger

Hazard Statements

Causes serious eye damage.

Causes skin irritation.

Precautionary Statements

Prevention

Wash hands thoroughly after handling.

Wear protective gloves, eye protection and face protection.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

If on skin: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage

None

Disposal

Dispose of contents/container in accordance with local regulation.

Other Hazards

None identified.



2. HAZARD IDENTIFICATION

Specific Concentration Limits

The values listed below represent the percentages of ingredients of unknown toxicity.

Acute oral toxicity <5%
Acute dermal toxicity 5 - 15%
Acute inhalation toxicity 40 - 50%
Acute aquatic toxicity 10 - 20%

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

Component	CAS Number	Concentration*
Diethylene Glycol Monobutyl Ether	112-34-5	10 - 30%
Sodium Lauryl Sulfate	151-21-3	7 - 13%
Lauramine oxide	1643-20-5	7 - 13%
Dimethyltetradecylamine oxide	3332-27-2	1 - 5%

^{*}Exact concentration withheld as trade secret.

4. FIRST- AID MEASURES

Description of necessary first-aid measures

Eyes

Immediately flood the eye with plenty of water for at least 20 minutes, holding the eye open. Obtain medical attention.

Skin

Wash skin thoroughly with soap and water. Obtain medical attention if irritation persists.

Ingestion

Dilute by drinking large quantities of water and obtain medical attention. Do not induce vomiting. **Inhalation**

Move victim to fresh air. Obtain medical attention immediately for any breathing difficulty.

Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed

Notes to Physicians

Treat symptomatically.

5. FIRE - FIGHTING MEASURES

Suitable Extinguishing Media

This preparation is used as an extinguishing agent and therefore is not a problem when trying to control a fire. Use extinguishing agent appropriate to other materials involved.

Specific hazards arising from the chemical

None known

Revision Date: July 14, 2023 NMS#515 Page 2 of 8



5. FIRE - FIGHTING MEASURES

Special Protective Actions for Fire-Fighters

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing. Prevent skin and eye contact.

Environmental Precautions

Prevent foam concentrate or foam solution from entering ground water, surface water, or storm drains. Discharge and disposal of concentrate or foam solution should be made in accordance with federal, state, and local regulations.

Methods and materials for containment and cleaning up

Contain and absorb using appropriate inert material and transfer into suitable containers for recovery or disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Wear appropriate protective clothing. Prevent skin and eye contact.

Conditions for safe storage

Store in original containers between 35°F and 120°F (2°C and 49°C). Storage area should be: - cool - dry - well ventilated - under cover - out of direct sunlight

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Diethylene Glycol Monobutyl Ether

ACGIH TLV: 10 ppm (67.5 mg/m³), 8hr TWA, measured as inhalable fraction and vapor

Lauramine oxide

None established

Dimethyltetradecylamine oxide

None established

Sodium Lauryl Sulfate

None established

Appropriate engineering controls

Use with adequate ventilation. If this product is used in a pressurized system, there should be local procedures for the selection, training, inspection and maintenance of this equipment. When used in large volumes, use local exhaust ventilation.

Individual protection measures Respiratory Protection

Wear respiratory protection if there is a risk of exposure. A NIOSH approved full face respirator may be worn. The specific respirator selected must be based on the airborne concentration found in the workplace and must not exceed the working limits of the respirator.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Skin Protection

Chemical resistant gloves

Eye/Face Protection

Chemical goggles or safety glasses with side shields.

Body Protection

Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State Liquid

Color Colorless

Odor Characteristic
Odor Threshold No data available

pH 8.5

Specific Gravity 1.0

Boiling Range/Point (°C/F) No data available Melting Point (°C/F) No data available

Flash Point (°C/F) >200°F

Vapor Pressure No data available Evaporation Rate (BuAc=1) No data available

Solubility in Water Soluble

Vapor Density (Air = 1)Not applicableVOC (%)No data availablePartition coefficient (n-No data available

octanol/water)

Viscosity

Auto-ignition Temperature

Decomposition Temperature
Upper explosive limit
Lower explosive limit
Flammability (solid, gas)

No data available
Not applicable
Not applicable
Not applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to Avoid

Contact with incompatible materials

Incompatible Materials

Water reactive materials - alkali metals - oxidizing agents

Hazardous Decomposition Products

Oxides of carbon – sulfur oxides – nitrogen oxides – sodium oxides

Revision Date: July 14, 2023 NMS#515 Page 4 of 8



11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Diethylene Glycol Monobutyl Ether
Oral LD50 (rat) 3305 mg/kg
Dermal LD5 (rabbit) 2764 mg/kg
Lauramine oxide
Oral LD50 rat 1064 mg/kg
Dimethyltetradecylamine oxide
Oral LD50 rat >1500 mg/kg

Specific Target Organ Toxicity (STOT) - single exposure

No relevant studies identified.

Specific Target Organ Toxicity (STOT) – repeat exposure

No relevant studies identified.

Serious Eye damage/Irritation

<u>Diethylene Glycol Monobutyl Ether:</u> Causes serious eye irritation. <u>Lauramine oxide:</u> Causes serious eye damage. <u>Dimethyltetradecylamine oxide:</u> Causes skin irritation. Sodium Lauryl Sulfate: Causes serious eye damage.

Skin Corrosion/Irritation

<u>Lauramine oxide:</u> Causes skin irritation.

<u>Sodium Lauryl Sulfate:</u> Causes skin irritation.

Dimethyltetradecylamine oxide: Causes skin irritation

Respiratory or Skin Sensitization

No relevant studies identified.

Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA.

Germ Cell Mutagenicity

No relevant studies identified.

Reproductive Toxicity

No relevant studies identified.

Aspiration Hazard

Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Avio^{F3} Green KHC 3%
LC50 Fish (Fundulus heteroclitus), 96h, 77.1 mg/l
EC50 Daphnia magna, 48h, 30.7 mg/l
EC50 Daphnia magna, 24h, 130 mg/l
NOEC chronic fish (Fundulus heteroclitus) 50 mg/l
Sodium Lauryl Sulfate
EC50 Daphnia magna, 48h, 1.18 mg/l



12. ECOLOGICAL INFORMATION

Ecotoxicity, cont.

<u>Lauramine oxide</u> LC50 Fish, 96h, 31.8 mg/l

EC50 Daphnia magna, 48h, 3.9 mg/l

ErC50 Algae, 72h, 0.2 mg/l

Aquatic Chronic - Category 2, Toxic to aquatic life with long lasting effects (ECHA classification)

Mobility in soil

No relevant studies identified.

Persistence/Degradability

This product is readily biodegradable.

BOD: 0.56 g O₂/l (5 days)

COD: 0.76 g O₂/I

Biodegradation: 99% (28 days)

Bioaccumulative Potential

This product is not expected to bioaccumulate.

Other adverse effects

No relevant studies identified.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

This product, as sold, is not a RCRA-listed waste or hazardous waste as characterized by 40 CFR 261. However, state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Therefore, applicable local and state regulatory agencies should be contacted regarding disposal of waste foam concentrate or foam/foam solution.

Concentrate

Prevent foam concentrate from entering ground water, surface water or storm drains. Small quantities of foam concentrate may be collected on absorbents which can then be disposed of. Disposal should be made in accordance with local, state and federal regulations.

Foam/Foam Solution

Prevent foam/foam solution from entering ground water, surface water or storm drains. Small quantities of foam solution may be collected on absorbents which can then be disposed of. Disposal should be made in accordance with local, state and federal regulations.

<u>NOTE:</u> Please consult Angus Fire for additional information regarding the disposal of foam concentrates and foam solutions.

14. TRANSPORT INFORMATION

Shipping Information
Shipping Description
National Motor Freight Code

Fire Extinguisher Charges or Compounds N.O.I., Class 70 69160 Sub 0

This information is not intended to convey all transportation classifications that may apply to this product. Classifications may vary by container volume and by regional regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules when transporting this material.

Revision Date: July 14, 2023 NMS#515 Page 6 of 8



15. REGULATORY INFORMATION

United States TSCA Inventory

All components of this product are in compliance with the inventory listing requirements of the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

Canada DSL Inventory

All ingredients in this product have been verified for listing on the Domestic Substance List (DSL) or the Non-Domestic Substance List (NDSL).

SARA Title III Sect. 311/312 Categorization

Skin irritation – Serious eye damage

SARA Title III Sect. 313

This product contains the following chemicals that are listed in Section 313 at or above de minimis concentrations: Diethylene glycol monobutyl ether

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

Diethylene Glycol Monobutyl Ether (112-34-5) 15% by weight maximum

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Health - 3

NFPA Code for Flammability - 0

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - None

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

BOD₅: Biochemical Oxygen Demand (5 day)

CAS#: Chemical Abstracts Service Number

COD: Chemical Oxygen Demand

ECHA: European Chemicals Agency

EC50: Effect Concentration 50%

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

N/A: Denotes no applicable information found or available

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RQ: Reportable Quantity

STEL: Short Term Exposure Limit

N/A: Denotes no applicable information found or available OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RQ: Reportable Quantity

16. OTHER INFORMATION

Legend, cont.

STEL: Short Term Exposure Limit TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

Revision Date: July 14, 2023 NMS#515 Page 7 of 8



Revision Date: July 14, 2023 Replaces: February 21, 2020

Changes made: Updates to sections 15.

Information Source and References

This SDS is prepared by Hazard Communication Specialists based on information provided by internal company references.

Prepared By: EnviroNet LLC.

The information and recommendations presented in this SDS are based on sources believed to be accurate. National Foam assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the material for their particular purposes. In particular, we make NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use or disposal of the material is in accordance with applicable Federal, State, and local laws and regulations.

Revision Date: July 14, 2023 NMS#515 Page 8 of 8